

INCASSI_BUILT-IN PARTS

R97810

Parte incasso termostatico 2 vie / Built-in part - 2 way thermostatic mixer



Parte incasso termostatico 2 vie

Built-in part - 2 way thermostatic mixer

Finiture / Finishes

INCASSI_BUILT-IN PARTS

R97810

Disegno Complessivo / Overall Drawing

Note / Notes

INCASSI_BUILT-IN PARTS

R97810 Certificazioni / Certifications

ARABIA_SAUDITA

CINA_HONG_KONK


SASO

GB test report

INCASSI_BUILT-IN PARTS

R97810 Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
DEVIATORE	11,5	16,2	19,5	23,2	26
P1					
P2					
P3					
P4					
P5					



INCASSI_BUILT-IN PARTS

R97810 Pesì e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	2,80 (Kg)	6,17 (lb)
Volume test (dc3) - (in3)	11,03 (dc3)	673,09 (in3)
h (mm) - (in)	135,00 (mm)	5,31 (in)
L1 (mm) - (in)	172,00 (mm)	6,77 (in)
L2 (mm) - (in)	475,00 (mm)	18,70 (in)

