

INCASSI_BUILT-IN PARTS

R96733

Parte incasso / Built-in part




Parte incasso miscelatore termostatico doccia con 4 rubinetti d'arresto.
Ingressi da 3/4" e uscite da 1/2".
Installabile sia in orizzontale che in verticale.

Built-in part - thermostatic shower mixer with 4 stop valves.
3/4" inlets and 1/2" outlets.
It can be installed both vertically or horizontally.

INCASSI_BUILT-IN PARTS

R96733

Disegno Complessivo / Overall Drawing




INCASSI_BUILT-IN PARTS

R96733

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
1 RUBINETTO APERTO <i>P1</i>	13,7	19,1	23,2	26,2	29,5
2 RUBINETTO APERTI 2 TAPS OPENED <i>P2</i>	16,1	22,2	27	30,5	34,2
3 RUBINETTO APERTI 3 TAPS OPENED <i>P3</i>	16,8	23	28	31,6	34,2
4 RUBINETTO APERTI 4 TAPS OPENED <i>P4</i>	17	23,1	28,2	32	36
<i>P5</i>					



INCASSI_BUILT-IN PARTS

R96733

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	3,50 (Kg)	7,72 (lb)
Volume test (dc3) - (in3)	13,32 (dc3)	812,84 (in3)
h (mm) - (in)	160,00 (mm)	6,30 (in)
L1 (mm) - (in)	140,00 (mm)	5,51 (in)
L2 (mm) - (in)	595,00 (mm)	23,43 (in)

