


VELOCE

Z92268

Bocca di erogazione. / Wall spout.



Bocca di erogazione L. 225 mm

Wall spout L 225 mm.

VELOCE

Z92268

Finiture / Finishes



Cromo / Chrome



C3

Nickel Spazzolato / Brushed Nickel



P30

British Gold PVD / British Gold PVD



P31

Brushed PVD British gold / Brushed PVD British gold



P60

Platino PVD / Platinum PVD




P80

Total black PVD / Total black PVD



P81

Brushed total black PVD / Brushed total black PVD



P90

Copper PVD / Copper PVD



P91


Brushed PVD Copper / Brushed PVD Copper

Note / Notes

VELOCE

Z92268

Disegno Complessivo / Overall Drawing




VELOCE

Z92268

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
BOCCA VASCA WALL SPOUT <i>P1</i>	9,4	13	15	18	20
<i>P2</i>					
<i>P3</i>					
<i>P4</i>					
<i>P5</i>					



VELOCE

Z92268

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	0,00 (Kg)	0,00 (lb)
Volume test (dc3) - (in3)	1,96 (dc3)	119,61 (in3)
h (mm) - (in)	30,00 (mm)	1,18 (in)
L1 (mm) - (in)	190,00 (mm)	7,48 (in)
L2 (mm) - (in)	345,00 (mm)	13,58 (in)

