


SHOWER

Z94164

Soffione doccia Ø 400 mm a soffitto. / Ø 400 mm ceiling mounted shower head.



Soffione doccia Ø 400 mm in acciaio inox a soffitto con getto a pioggia.

Portata minima richiesta 10 l/min.

Portata massima limitata 12 l/min.

Nelle versioni verniciate, nebulizzatori e viti rimangono in finitura cromo/acciaio.

Ø 400 mm ceiling mounted stainless steel rain shower head.

Minimum flowrate requested 10 l/min.

Max waterflow limited 12 l/min.

In the painted versions, sprayers and screws remain in chrome/steel finish.

SHOWER

Z94164

Finiture / Finishes



Croma / Chrome



C8

Nickel Lucido / Polished Nickel




C40

Oro / Gold



C41

Oro spazzolato / Brushed Gold




C50

Metal Black / Metal Black



C51

Metal Black spazzolato /
Brushed Metal Black



N6

Nero opaco / Matt black



X

Acciaio inox spazzolato /
Brushed stainless steel



XP21

Brushed PVD chocolate /
Brushed PVD chocolate



XP31

Brushed PVD British gold /
Brushed PVD British gold



XP41

Brushed PVD gold / Brushed
PVD gold



XP81

PVD Brushed Total Black /
PVD Brushed Total Black



XP91


Brushed PVD copper /
Brushed PVD copper

Note / Notes

SHOWER

Z94164


Disegno Complessivo / Overall Drawing



SHOWER

Z94164 Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD	8	10	12	12	12
P2					
P3					
P4					
P5					



SHOWER

Z94164 Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	3,60 (Kg)	7,94 (lb)
Volume test (dc3) - (in3)	8,96 (dc3)	546,77 (in3)
h (mm) - (in)	52,00 (mm)	2,05 (in)
L1 (mm) - (in)	410,00 (mm)	16,14 (in)
L2 (mm) - (in)	420,00 (mm)	16,54 (in)

