

## SHOWER

Z94189








Soffione a getto fisso Ø 210 mm. / Shower head, Ø 210 mm.



Soffione in ottone, a getto fisso con sistema anticalcare, Ø 210 mm.  
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Brass shower head, with antilimescale system, Ø 210 mm.  
Water Saving - water flow rate of 9 l/min or less.


### Finiture / Finishes

						
Cromo / Chrome	Nickel Spazzolato / Brushed Nickel	Nickel Lucido / Polished Nickel	Oro / Gold	Oro spazzolato / Brushed Gold	PVD brushed chocolate / PVD brushed chocolate	Brushed PVD British gold / Brushed PVD British gold

## SHOWER

Z94189

Disegno Complessivo / Overall Drawing




Note / Notes

## SHOWER

Z94189

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD P1	4	5,4	6,5	7,4	7,9
P2					
P3					
P4					
P5					



## SHOWER

Z94189

Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	1,69 ( Kg )	3,72 ( lb )
Volume test ( dc3 ) - ( in3 )	5,34 ( dc3 )	325,87 ( in3 )
h ( mm ) - ( in )	100,00 ( mm )	3,94 ( in )
L1 ( mm ) - ( in )	227,00 ( mm )	8,94 ( in )
L2 ( mm ) - ( in )	235,00 ( mm )	9,25 ( in )

