

SHOWER

Z94191

Soffione a getto fisso, Ø 215 mm. / Shower head simple jet, Ø 215 mm.



Soffione in ottone a getto fisso, Ø 215 mm.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Brass shower head simple jet, Ø 215 mm.
Water Saving - water flow rate of 9 l/min or less.

Finiture / Finishes

 Cromo / Chrome


 C40
Oro / Gold

 C41
Oro spazzolato / Brushed Gold

SHOWER

Z94191

Disegno Complessivo / Overall Drawing




SHOWER

Z94191

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD P1	5,2	7,2	8,8	9	9
P2					
P3					
P4					
P5					




SHOWER

Z94191

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	1,10 (Kg)	2,43 (lb)
Volume test (dc3) - (in3)	5,52 (dc3)	336,85 (in3)
h (mm) - (in)	100,00 (mm)	3,94 (in)
L1 (mm) - (in)	225,00 (mm)	8,86 (in)
L2 (mm) - (in)	235,00 (mm)	9,25 (in)



SHOWER

Z94191

Proposto con / Proposed with



Z93024: Braccio doccia a soffitto. / Ceiling mounted shower arm.



Z93026: Braccio doccia a soffitto. / Ceiling mounted shower arm.



Z9304P: Braccio doccia a parete. / Shower arm simple.