Marchio / Brand ZUCCHETTI

Classe / Class DOCCE

SHOWER

Z94254.X Soffione Ø 300 mm. / Ø 300 mm shower head.

WATER SAVING

Soffione Ø 300 mm in acciao inox AISI 316L. A getto fisso con sistema anticalcare, spessore 14 mm. Ispezionabile.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Ø 300 mm AISI 316L stainless steel shower head, with anti-limescale system. 14 mm thickness. Inspectionable.
Water Saving - water flow rate of 9 l/min or less.

Marchio / Brand ZUCCHETTI

Classe / Class DOCCE

SHOWER

Z94254.X

Finiture / Finishes

X

Acciaio inox spazzolato / Brushed stainless steel



XP21

Brushed PVD chocolate / Brushed PVD chocolate

XP31

Brushed PVD British gold / Brushed PVD British gold

XP41

Brushed PVD gold / Brushed PVD gold

XP81

PVD Brushed Total Black / PVD Brushed Total Black



XP91

Brushed PVD copper / Brushed PVD copper

XS

Acciaio inox matt / Matt stainless steel



XSP21

Matt PVD chocolate / Matt PVD chocolate



XSP31

Matt PVD British gold / Matt PVD British gold

XSP41

Matt PVD gold / Matt PVD gold

XSP81

Matt PVD total black / Matt PVD total black



XSP91

Matt PVD copper / Matt PVD copper

Note / Notes

SHOWER

Z94254.X Disegno Complessivo / Overall Drawing



SHOWER

Z94254.X Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 SOFFIONE SHOWER HEAD	**7,9**	**8,4**	**8,6**	**8,8**	**9**
P2					
P3					
P4					
P5					



SHOWER

Z94254.X Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	2,00 (Kg)	4,41 (lb)
Volume test (dc3) - (in3)	8,65 (dc3)	527,86 (in3)
h (mm) - (in)	70,00 (mm)	2,76 (in)
L1 (mm) - (in)	315,00 (mm)	12,40 (in)
L2 (mm) - (in)	324,00 (mm)	12,76 (in)