

SHOWER

Z94255

Soffione a parete con 1 braccio orientabile. / Wall mounted shower head with adjustable arm.



Soffione a parete con 1 braccio orientabile orizzontalmente e giunto snodato all'attacco del soffione.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min

Wall mounted shower head with adjustable arm and floating joint at the base of the shower head.
Water Saving - water flow rate of 9 l/min or less.


Finiture / Finishes


Cromo / Chrome N6
Nero opaco / Matt black

SHOWER

Z94255


Disegno Complessivo / Overall Drawing



SHOWER

Z94255

Esplosi / Exploded



SHOWER

Z94255

Certificazioni / Certifications

AUSTRALIA


IAPMO OCEANA

SHOWER

Z94255

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
SOFFIONE SHOWER HEAD P1	5	6,2	7,6	7,6	7,6
P2					
P3					
P4					
P5					



SHOWER

Z94255

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	3,49 (Kg)	7,69 (lb)
Volume test (dc3) - (in3)	25,09 (dc3)	1531,08 (in3)
h (mm) - (in)	115,00 (mm)	4,53 (in)
L1 (mm) - (in)	375,00 (mm)	14,76 (in)
L2 (mm) - (in)	545,00 (mm)	21,46 (in)

