


SHOWER

Z94298

Soffione doccia multifunzione 600x300 mm a soffitto. 3 getti. / 600x300mm ceiling mounted multifunction shower head.



Soffione doccia multifunzione 600x300 mm in acciaio inox a soffitto.
 Getti: pioggia, lama e nebulizzato. Necessita di abbinamento con 3 rubinetti d'arresto.
 Portata minima richiesta: getto pioggia 12 lt. / min. getto lama 12 lt. / min. getto nebulizzato 5 lt. / min.

Nelle versioni verniciate, lame, nebulizzatori e viti rimangono in finitura cromo/acciaio.

600x300 mm ceiling mounted stainless steel multifunction shower head.
 Jets: rain, blade and atomising (spray). To be combined with 3 built-in stop valves to select the jets.
 Minimum flowrate requested : rain jet 12 lt. / min. blade jet 12 lt. / min. atomizing jet 5 lt. / min.

In the painted versions, blades, sprayers and screws remain in chrome/steel finish.


Finiture / Finishes

 C8 Cromo / Chrome	 C40 Nickel Lucido / Polished Nickel	 C41 Oro / Gold	 C50 Oro spazzolato / Brushed Gold	 C51 Metal Black / Metal Black	 W1 Metal Black spazzolato / Brushed Metal Black	 W1 Bianco Opaco Goffrato / Embossed Matt White
 N1 Nero Opaco Goffrato / Embossed Matt Black	 N6 Nero opaco / Matt black	 L5 Blu mediterraneo / Mediterranean blu	 X Acciaio inox spazzolato / Brushed stainless steel	 XP21 Brushed PVD chocolate / Brushed PVD chocolate	 XP31 Brushed PVD British gold / Brushed PVD British gold	 XP41 Brushed PVD gold / Brushed PVD gold
 XP81 PVD Brushed Total Black / PVD Brushed Total Black	 XP91 Brushed PVD copper / Brushed PVD copper					

SHOWER

Z94298

Disegno Complessivo / Overall Drawing




Note / Notes

SHOWER

Z94298

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
GETTO PIOGGIA <i>P1</i>	5,2	10,5	13,2	13,9	14,2
GETTO LAMA BLADE FLOW <i>P2</i>	5,5	9,5	13,9	16,4	19,3
GETTO NEBULIZZATO <i>P3</i>	2,2	3	3,7	4,2	4,7
<i>P4</i>					
<i>P5</i>					



SHOWER

Z94298

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	7,60 (Kg)	16,75 (lb)
Volume test (dc3) - (in3)	32,50 (dc3)	1983,27 (in3)
h (mm) - (in)	80,00 (mm)	3,15 (in)
L1 (mm) - (in)	670,00 (mm)	26,38 (in)
L2 (mm) - (in)	605,00 (mm)	23,82 (in)

