


SABLIER

Z94620.X

Deviatore a 3 vie. / 3 way diverter.



Deviatore a 3 vie in acciaio inox AISI 316L, senza apertura/chiusura acqua, uscite da 1/2".
Da abbinare ad un miscelatore monocomando incasso doccia.

3 way diverter in AISI 316L stainless steel, without water on/off function, 1/2" outlets.
To be combined to a built-in single lever shower mixer.

R96738

Parte incasso deviatore 3 vie. / Built-in part - 3
way diverter.



SABLIER

Z94620.X

Finiture / Finishes



X

Acciaio inox spazzolato /
Brushed stainless steel



XP21

Brushed PVD chocolate /
Brushed PVD chocolate



XP31

Brushed PVD British gold /
Brushed PVD British gold



XP41

Brushed PVD gold / Brushed
PVD gold




XP81

PVD Brushed Total Black /
PVD Brushed Total Black




XP91

Brushed PVD copper /
Brushed PVD copper



XS

Acciaio inox matt / Matt
stainless steel



XSP21

Matt PVD chocolate / Matt
PVD chocolate



XSP31

Matt PVD British gold / Matt
PVD British gold




XSP41

Matt PVD gold / Matt PVD gold



XSP81

Matt PVD total black / Matt
PVD total black



XSP91


Matt PVD copper / Matt PVD
copper

Note / Notes

SABLIER

Z94620.X

Disegno Complessivo / Overall Drawing




SABLIER

Z94620.X

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 DEV. USCITA 1 DIV. OUTLET 1	10,9	18,9	20	22,8	25,8
P2 DEV. USCITA 2 DIV. OUTLET 2	10,9	18,9	20	22,8	25,8
P3 DEV. USCITA 3 DIV. OUTLET 3	10,9	18,9	20	22,8	25,8
P4					
P5					



SABLIER

Z94620.X

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	0,70 (Kg)	1,54 (lb)
Volume test (dc3) - (in3)	1,21 (dc3)	73,84 (in3)
h (mm) - (in)	73,00 (mm)	2,87 (in)
L1 (mm) - (in)	127,00 (mm)	5,00 (in)
L2 (mm) - (in)	130,00 (mm)	5,12 (in)

