

SHOWER

Z95218.X

Completo asta murale. / Complete slide rail.



Completo asta murale in acciaio inox, con barra da 800 mm, doccia Z94249.X, flessibile Z94125.X in acciaio inox da 1500 mm.

Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Complete slide rail in stainless steel, length 800 mm, handshower Z94249.X, 1500 mm Z94125.X stainless steel flexible hose.

Water Saving - water flow rate of 9 l/min or less.

Finiture / Finishes




X

Acciaio inox spazzolato / Brushed
stainless steel

SHOWER

Z95218.X


Disegno Complessivo / Overall Drawing



SHOWER

Z95218.X Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 DOCCETTA HANDSHOWER	3,4	4,3	4,8	5,2	5,5
P2					
P3					
P4					
P5					



SHOWER

Z95218.X Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	1,30 (Kg)	2,87 (lb)
Volume test (dc3) - (in3)	15,00 (dc3)	915,36 (in3)
h (mm) - (in)	90,00 (mm)	3,54 (in)
L1 (mm) - (in)	180,00 (mm)	7,09 (in)
L2 (mm) - (in)	935,00 (mm)	36,81 (in)

