

SHOWER

ZAG865

Colonna doccia completa di termostatico esterno. / Shower column with exposed thermostatic mixer.



Colonna doccia completa di termostatico esterno, soffione in ottone e doccetta Z9472P.C.
Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Shower column with exposed thermostatic mixer, brass shower head and handshower Z9472P.C.
Water Saving - water flow rate of 9 l/min or less.

Finiture / Finishes




Cromo / Chrome

SHOWER

ZAG865


Disegno Complessivo / Overall Drawing



SHOWER

ZAG865

Esplosi / Exploded




SHOWER

ZAG865

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 DOCCETTA HANDSHOWER	3	4,2	5,4	6,4	7,2
P2 SOFFIONE SHOWER HEAD	6,9	8,2	8,3	8,8	9
P3					
P4					
P5					



SHOWER

ZAG865

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	8,00 (Kg)	17,64 (lb)
Volume test (dc3) - (in3)	54,15 (dc3)	3304,43 (in3)
h (mm) - (in)	180,00 (mm)	7,09 (in)
L1 (mm) - (in)	320,00 (mm)	12,60 (in)
L2 (mm) - (in)	940,00 (mm)	37,01 (in)

