

## HOOP

ZHO786

Termostatico incasso vasca-doccia a 2 pulsanti. / Built-in thermostatic bath-shower mixer with 2 on-off buttons.



Termostatico incasso vasca-doccia da 1/2", combinazione con 2 pulsanti on-off per bocca e completo doccia. Installazione possibile sia in verticale che in orizzontale.













1/2" built-in thermostatic bath-shower mixer, arrangement with 2 on-off buttons for spout and shower set. Both vertical and horizontal installation possible.

R96706

Parte incasso / Built-in part




## Finiture / Finishes

 C3	 C8	 C40	 C41	 C50	 C51	
Cromo / Chrome	Nickel Spazzolato / Brushed Nickel	Nickel Lucido / Polished Nickel	Oro / Gold	Oro spazzolato / Brushed Gold	Metal Black / Metal Black	Metal Black spazzolato / Brushed Metal Black
 W1	 N1	 N6	 L5	 P21	 P31	 P41
Bianco Opaco Goffrato / Embossed Matt White	Nero Opaco Goffrato / Embossed Matt Black	Nero opaco / Matt black	Blu mediterraneo / Mediterranean blu	PVD brushed chocolate / PVD brushed chocolate	Brushed PVD British gold / Brushed PVD British gold	PVD Oro Spazzolato / PVD Brushed Gold
 P81	 P91					
Brushed total black PVD / Brushed total black PVD	Brushed PVD Copper / Brushed PVD Copper					

## HOOP

ZHO786

Disegno Complessivo / Overall Drawing



### Note / Notes

Articolo non compatibile con bocca Z93768 e soffioni Z94218, Z94229 e Z94230.


Item not compatible with spout code Z93768 and shower heads codes Z94218, Z94229, Z94230.

## HOOP

ZHO786

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 BOCCA VASCA WALL SPOUT	10	12,9	17	19,5	21,5
P2 DOCCETTA HANDSHOWER	4,2	5,8	6,9	7,7	8,3
P3					
P4					
P5					



## HOOP

ZHO786

Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	3,10 ( Kg )	6,83 ( lb )
Volume test ( dc3 ) - ( in3 )	11,01 ( dc3 )	671,87 ( in3 )
h ( mm ) - ( in )	90,00 ( mm )	3,54 ( in )
L1 ( mm ) - ( in )	335,00 ( mm )	13,19 ( in )
L2 ( mm ) - ( in )	365,00 ( mm )	14,37 ( in )

