

OCTO X

ZOX5511.X

Batteria bordo vasca a 5 fori. / 5 hole bath-mixer.



Batteria bordo vasca a 5 fori in acciaio inox AISI 316L, con bocca fissa, doccia estraibile Z94249.X, flessibile da 1500 mm.

5 hole bath-mixer in AISI 316L stainless steel, fixed spout, pull-out handshower Z94249.X, 1500 mm flexible hose.

OCTO X

ZOX5511.X

Finiture / Finishes



X

Acciaio inox spazzolato /
Brushed stainless steel



XP21

Brushed PVD chocolate /
Brushed PVD chocolate



XP31

Brushed PVD British gold /
Brushed PVD British gold



XP41

Brushed PVD gold / Brushed
PVD gold



XP81

PVD Brushed Total Black /
PVD Brushed Total Black



XP91


Brushed PVD copper /
Brushed PVD copper

Note / Notes

OCTO X

ZOX5511.X


Disegno Complessivo / Overall Drawing



OCTO X

ZOX5511.X


Esplosi / Exploded



OCTO X

ZOX5511.X Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 BOCCA VASCA WALL SPOUT	12,6	18,3	22,4	26	29,2
P2 DOCCETTA HANDSHOWER	4,5	6,7	8,1	8,2	8,4
P3					
P4					
P5					



OCTO X

ZOX5511.X Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	5,00 (Kg)	11,02 (lb)
Volume test (dc3) - (in3)	13,34 (dc3)	814,06 (in3)
h (mm) - (in)	90,00 (mm)	3,54 (in)
L1 (mm) - (in)	285,00 (mm)	11,22 (in)
L2 (mm) - (in)	520,00 (mm)	20,47 (in)

