


SHOWER

ZP8087.X

Colonna doccia free standing in acciaio inox per esterni. / Free standing shower column, stainless steel for outdoor.



Colonna doccia free standing in acciaio inox per esterni. Collegamenti acqua e fissaggio a pavimento con parte incasso. Soffione anticalcare a pioggia da 300mm. Miscelatore con joystick, cartuccia 35mm. Tubo lavapiedi in elastomero azionabile con deviatore.







Free standing shower column in stainless steel specific for outdoor use. Water connection and fixing on the floor with built-in part. Rain anti-limestone shower head, 300mm. Joystick mixer with 35 mm cartridge. Elastomer footwasher hose operated by diverter.

R99797



Parte incasso. / Built-in part.


Finiture / Finishes

	X		XP21		XP31		XP41		XP81		XP91
Acciaio inox spazzolato / Brushed stainless steel		Brushed PVD chocolate / Brushed PVD chocolate		Brushed PVD British gold / Brushed PVD British gold		Brushed PVD gold / Brushed PVD gold		PVD Brushed Total Black / PVD Brushed Total Black		Brushed PVD copper / Brushed PVD copper	

SHOWER

ZP8087.X

Disegno Complessivo / Overall Drawing




Note / Notes

SHOWER

ZP8087.X

Esplosi / Exploded




SHOWER

ZP8087.X

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 DOCCETTA HANDSHOWER	4,7	5,8	6,5	6,5	6,5
P2 SOFFIONE SHOWER HEAD	8,5	10	12	12	12
P3					
P4					
P5					



SHOWER

ZP8087.X

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	15,90 (Kg)	35,05 (lb)
Volume test (dc3) - (in3)	114,56 (dc3)	6990,88 (in3)
h (mm) - (in)	240,00 (mm)	9,45 (in)
L1 (mm) - (in)	420,00 (mm)	16,54 (in)
L2 (mm) - (in)	1100,00 (mm)	43,31 (in)



Marchio / Brand ZUCCHETTI

Classe / Class DOCCE

SHOWER

ZP8087.X

Proposto con / Proposed with



R98060: Copertura per colonna doccia in nylon / Nylon shower column cover