

SABLIER

ZSL5519.X

Batteria bordo vasca a 5 fori. / 5 hole bath-mixer.



Batteria bordo vasca a 5 fori in acciaio inox AISI 316L, con bocca fissa, doccia estraibile Z94249.X, flessibile da 1500 mm.

5 hole bath-mixer in AISI 316L stainless steel, fixed spout, pull-out handshower Z94249.X, 1500 mm flexible hose.

SABLIER

ZSL5519.X

Finiture / Finishes



X

Acciaio inox spazzolato /
Brushed stainless steel



XP21

Brushed PVD chocolate /
Brushed PVD chocolate




XP31

Brushed PVD British gold /
Brushed PVD British gold



XP41

Brushed PVD gold / Brushed
PVD gold




XP81

PVD Brushed Total Black /
PVD Brushed Total Black




XP91

Brushed PVD copper /
Brushed PVD copper



XS

Acciaio inox matt / Matt
stainless steel



XSP21

Matt PVD chocolate / Matt
PVD chocolate



XSP31

Matt PVD British gold / Matt
PVD British gold




XSP41

Matt PVD gold / Matt PVD gold



XSP81

Matt PVD total black / Matt
PVD total black



XSP91


Matt PVD copper / Matt PVD
copper

Note / Notes

SABLIER

ZSL5519.X

Disegno Complessivo / Overall Drawing




SABLIER

ZSL5519.X

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 BOCCA VASCA WALL SPOUT	9,8	13,7	16,8	19,3	21,8
P2 DOCCETTA HANDSHOWER	4,2	5,8	6,9	7,7	8,3
P3					
P4					
P5					



SABLIER

ZSL5519.X

Pesi e Misure / Weights and Sizes

Peso (Kg) Weight (lb)	5,80 (Kg)	12,79 (lb)
Volume test (dc3) - (in3)	15,98 (dc3)	975,16 (in3)
h (mm) - (in)	90,00 (mm)	3,54 (in)
L1 (mm) - (in)	335,00 (mm)	13,19 (in)
L2 (mm) - (in)	530,00 (mm)	20,87 (in)

