

## SHOWER

**ZT7767**

Colonna doccia completa di termostatico esterno. / Shower column with exposed thermostatic mixer.



Colonna doccia completa di termostatico esterno, soffione Ø 200 mm in ottone Z94265 e doccetta in ABS Z94727 a getto fisso.

Water Saving - portata d'acqua uguale o inferiore a 9 l/min.

Shower column with exposed thermostatic mixer, Z94265 brass shower head Ø 200mm and Z94727 ABS handshower simple jet.

Water Saving - water flow rate of 9 l/min or less.


### Finiture / Finishes

 Cromo / Chrome	 C3 Nickel Spazzolato / Brushed Nickel	 C8 Nickel Lucido / Polished Nickel	 C40 Oro / Gold	 C41 Oro spazzolato / Brushed Gold	 C50 Metal Black / Metal Black	 C51 Metal Black spazzolato / Brushed Metal Black	 W1 Bianco Opaco Goffrato / Embossed Matt White
 N1 Nero Opaco Goffrato / Embossed Matt Black	 N6 Nero opaco / Matt black						

## SHOWER

ZT7767

Disegno Complessivo / Overall Drawing




## SHOWER

ZT7767

Portate / Flowrates (lt/min)

PRESSIONE PRESSURE	1 BAR	2 BAR	3 BAR	4 BAR	5 BAR
P1 SOFFIONE SHOWER HEAD	9	9	9	9	9
P2 DOCCETTA HANDSHOWER	6,1	8,5	8,6	9	9
P3					
P4					
P5					



## SHOWER

ZT7767

Pesi e Misure / Weights and Sizes

Peso ( Kg ) Weight ( lb )	6,09 ( Kg )	13,43 ( lb )
Volume test ( dc3 ) - ( in3 )	87,00 ( dc3 )	5309,06 ( in3 )
h ( mm ) - ( in )	110,00 ( mm )	4,33 ( in )
L1 ( mm ) - ( in )	430,00 ( mm )	16,93 ( in )
L2 ( mm ) - ( in )	1180,00 ( mm )	46,46 ( in )

